

*At the heart of the image*

COOLPIX

**Compact Digital Camera Lineup**  
Spring 2009

[www.nikon-coolpix.com](http://www.nikon-coolpix.com)



03



# Joy to the world.

Behind every COOLPIX compact digital is the fundamental idea that photography is supposed to bring you joy. Every shot is a precious memory, at a moment in time, which you can save and share with your loved ones forever.

For over nine decades, Nikon's ingenuity in imaging technology has certainly brought the world joy. Legendary innovations like the finely crafted NIKKOR lenses enjoyed by photographers the world over, the epoch-making EXPEED digital image-processing concept, and the smart, gorgeous designs that make Nikon cameras as joyful to carry around as they are to use.

So, whether it's love, wonder, surprise or creative inspiration to capture, there's a COOLPIX for you.



02

## Share the joy. A COOLPIX for every style.

For virtually every combination of stylish elegance, shooting performance and show-off pleasure, there's a finely crafted COOLPIX awaiting you.

05

P series

Capture the moment in creative fashion



S series

Elegance meets imaging brilliance



### COOLPIX S630

Gorgeous style. Beautiful photos.



- 12.0 megapixel resolution
- 7x zoom
- Image sensor shift VR image stabilization
- 2.7-in. high-resolution LCD
- ISO 6400\* capability

\* ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller.

### COOLPIX S620

Fast, fun and downright beautiful



- 12.2 megapixel resolution
- 4x zoom with 28mm wide-angle capability
- Optical lens shift VR image stabilization
- 2.7-in. high-resolution LCD
- ISO 6400 full size capability

### COOLPIX S230

Smart picture-taking at your fingertips



- 10.0 megapixel resolution
- 3x zoom
- Electronic VR image stabilization
- 3-in. touch screen high-resolution LCD
- ISO 2000 capability

### COOLPIX S220

High performance and fashionably slim



- 10.0 megapixel resolution
- 3x zoom
- Electronic VR image stabilization
- 2.5-in. high-resolution LCD
- ISO 2000 capability

04



### COOLPIX P6000

Experience new-found photographic freedom



- 13.5 megapixel resolution
- 4x zoom with 28mm wide-angle capability
- Optical lens shift VR image stabilization
- 2.7-in. high-resolution LCD
- ISO 6400\* capability

\* ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller.

### COOLPIX P90

Even closer encounters. Incredible 24x Zoom.



- 12.1 megapixel resolution
- 24x zoom with 26mm wide-angle capability
- Image sensor shift VR image stabilization
- 3-in. high-resolution vari-angle LCD
- ISO 6400\* capability

\* ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller.

L series

Capture the moment with an easy-to-use, high performance camera



### COOLPIX L100

Bringing precious moments even closer at an affordable price



- 10.0 megapixel resolution
- 15x zoom with 28mm wide-angle capability
- Image sensor shift VR image stabilization
- 3-in. high-resolution LCD
- ISO 3200\* capability

\* ISO 3200 is available only for image sizes of 3M (2048 x 1536) or smaller.

### COOLPIX L20

Easy to operate and great pictures



- 10.0 megapixel resolution
- 3.6x zoom
- Motion Detection
- 3-in. high-resolution LCD
- ISO 1600 capability

### COOLPIX L19

Carefree and wonderfully easy



- 8.0 megapixel resolution
- 3.6x zoom
- Motion Detection
- 2.7-in. high-resolution LCD
- ISO 1600 capability

Note: Camera lineup and color availability may vary according to region.

# COOLPIX PREMIUM FEATURES

Built into every COOLPIX are marvelous technologies that ensure photographic excellence and sheer enjoyment.



## VR Image Stabilization

Nikon VR technologies help you produce blur-free images when shooting in low light or unsteady conditions. Some COOLPIX models offer optical lens or sensor shift VR, which compensates for camera shake to deliver sharp images and steadier framing with the LCD. Other models offer Electronic VR, which applies movement data to image-processing to turn blurred images into beautifully clear results.



## Motion Detection

Motion Detection helps you produce sharper results by automatically selecting a faster shutter speed and higher ISO (light sensitivity) setting to compensate for subject movement or camera shake. Motion Detection frees you to enjoy taking great pictures instead of worrying about camera settings.



## Subject Tracking

Subject Tracking enhances your shooting experience by automatically adjusting focus as it follows the movement of your subject. Particularly useful when capturing children or pets in those precious moments at play, Subject Tracking ensures sharp focus and quick response to capture your best shot.




## Touch Screen

Touch screen controls on select COOLPIX models add a new dimension of intuitive operation. When shooting, you can simply touch the screen to select your subject, lock autofocus and exposure, and even zoom in for a close-up. Playback includes fingertip scrolling through images and image selection.



## High ISO Sensitivity

High ISO capability greatly increases photographic possibilities by delivering excellent pictures in challenging conditions. It helps you to capture subjects beautifully in low light without compromising natural light or requiring long exposure time. This minimizes the effects of camera shake. Also, by enabling the selection of faster shutter speeds, it makes it easier to capture fast-moving subjects with greater clarity.



## Smart Portrait System

Whether photographing an individual portrait or a group of friends, Face-priority AF helps ensure satisfying results. It automatically detects as many as 12 faces in the shot. Face-priority AF automatically adjusts exposure to achieve the right balance of brightness on your subject's face and across the whole picture. You only have to press the shutter button to enjoy shooting beautiful portraits.




## Smile Mode

Smile Mode automatically releases the shutter when your subject smiles to help you faithfully record the precious moment. Some models also include Blink Warning and/or Blink Proof. Blink Proof shoots two pictures and automatically saves the one in which the subject's eyes are wide open, while Blink Warning alerts you when it suspects that someone has blinked.



## In-Camera Red-Eye Fix

All COOLPIX cameras offer advanced red-eye reduction capability that automatically analyzes the captured image and corrects any perceived red-eye effect before saving the image to memory.



## Scene Auto Selector

Nikon's Scene Auto Selector provides quick, carefree picture-taking in a variety of situations. Determining what your subject is and recognizing the conditions of the setting in which you are shooting, Scene Auto Selector automatically selects the appropriate scene mode for optimized results. Thus sparing you the time and bother of selecting the scene mode by hand.



# COOLPIX S630

The only thing more beautiful are the photos you will take with it.

The sharp results of high resolution, EXPEED processing, and precision 7x Zoom-NIKKOR optics.



Titanium Silver



Calm Black

Precious Pink

Sky Blue

Bright Silver

# COOLPIX S620

Fast, fun and downright beautiful.

Swift and small, with high-resolution and plenty of reach for greater picture-taking fun and excitement.



## 7x Zoom-NIKKOR lens

Exceptional image quality and consistently sharp results are only part of the fun with the 12.0 megapixel sensor and precision 7x Zoom-NIKKOR lens of the COOLPIX S630. The flexible focal range lets you capture the full delight of all those special moments, from entire scenes to tight close-ups.

## Compact and fast. Styled for just the right fit.

The COOLPIX S630 packs stylish elegance, swift response and advanced functions into an ultra-compact design that is almost indescribable. Optimized performance, large controls and the reassuring fit of its Sure Grip help ensure that you will capture all those precious moments as you please.



## Advanced image stabilizing features that ensure sharper results every time

Nikon's **image sensor shift VR image stabilization** compensates for the effects of camera shake to produce sharper results. **Motion Detection** automatically controls shutter speed and the ISO setting compensates for camera shake and subject movement. **ISO 6400\*** capability allows faster shutter speeds when shooting in low light or capturing fast-moving subjects. Finally, Nikon's original **BSS (Best Shot Selector)** function automatically shoots a series of sequential frames and saves the one with the sharpest focus.

\* ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller.

## Beautiful portraits with ease

**Smile Mode** helps you to record precious moments by automatically releasing the shutter when your subject smiles. The new **Blink Proof** function automatically shoots two sequential frames and saves the shot in which the subject's eyes are open-wide.

## Quick Retouch

Quick Retouch adds the right finishing touch to your photos by automatically creating a retouched copy with the best balance of contrast and saturation.

08



## Other features


- 12.0 effective megapixels
- 2.7-in. high-resolution LCD monitor with wide-viewing angle
- Scene Auto Selector
- Sport Continuous Mode
- Smart Portrait System
- D-Lighting



09

## Advanced image stabilizing features with ISO 6400 at full size capability

Nikon's **optical lens shift VR image stabilization** compensates for the effects of camera shake to produce sharper results. **Motion Detection** automatically controls shutter speeds and the ISO setting adjusts for camera shake and subject movement. Furthermore, light sensitivity range up to **ISO 6400** with full size pictures (4000 x 3000 pixels) creates new opportunities to take sharper, more natural-looking photos in lower light conditions, or of fast-moving subjects.



## The fastest start-up time in its class

Optimized performance and the fastest start-up time\* of a mere 0.7 seconds enable you to capture all those special moments.

\* Among compact cameras equipped with 28mm (35mm format equivalent) zoom lens and optical vibration reduction as of January 5, 2009 (according to research conducted by Nikon Corporation).

## High-quality, ultra-compact design

The COOLPIX S620's stylish elegance combined with its ultra-compact design deliver swift response and advanced picture-taking functions. You'll also appreciate the quality optics of its precision 4x Zoom-NIKKOR lens with 28mm wide-angle coverage and macro shooting ability from as close as 2 cm (0.8 in.) from your subject.

## Automated and optimized shooting modes

Nikon's **Scene Auto Selector** provides carefree shooting in a variety of situations by recognizing the setting and automatically selecting the most appropriate scene mode.

**Subject Tracking** enhances the shooting experience by automatically following the movement of your subject to ensure clear focus.

## Other features

- 12.2 effective megapixels
- 2.7-in. high-resolution LCD monitor with wide-viewing angle, antifouling and water repellent layer, and screen brightness boost function
- Quick Retouch
- Smart Portrait System
- D-Lighting



Get ready for a touch of smart and fashionable picture-taking.

Touch screen control and a delightfully compact design which bring new fun to quality picture-taking.



The stylish, smart and slim performer.

High photographic performance in an 18mm slim design.



### Intuitive operation served up with eye-catching elegance

The COOLPIX S230 offers a new fun approach to intuitive operation by using its new 3-in. touch control LCD for most shooting and playback functions.

#### The fun and ease of fingertip shooting control combined with smartly designed buttons

##### Select your subject by touch

Touch your subject to set autofocus and exposure for the shot.



##### Portrait One-touch Zoom


After selecting your subject, touch the Portrait One-touch Zoom button for three-step automatic zoom – Waist shot, Bust shot, or Close-up.




#### Playback pleasure and editing versatility at your fingertips

Touch controls add a new dimension of fun for viewing images on the amazing 3-in. LCD. For example, select thumbnail images with your fingers, or scroll through full-size images. You can also use the Paint Function to personalize your images by adding colorful borders and stamps or by writing on the screen with the supplied stylus.

##### Thumbnail selection for easy viewing



##### Scroll through your images



##### Paint Function



#### Other features

- 10.0 effective megapixels
- Electronic VR image stabilization
- Motion Detection
- ISO 2000 capability
- Scene Auto Selector
- Food Mode
- Auto Sort
- Quick Retouch
- Smart Portrait System
- D-Lighting

#### Slim, sophisticated and available in a rich selection of pleasing colors

The COOLPIX S220 squeezes sophisticated style, advanced functions and high performance into an 18mm ultra-slim and ultra-light design that will increase your enjoyment of picture-taking even more.



#### Advanced image stabilizing features that ensure sharper results

Compensating for the effects of camera shake to realize sharper results, **electronic VR image stabilization** lets you enjoy capturing special moments without worrying about slight hand movements. **Motion Detection** automatically controls shutter speed and the ISO setting compensates for camera shake and subject movement.

#### Scene Auto Selector

Nikon's Scene Auto Selector provides carefree shooting in a variety of situations by recognizing the setting and automatically selecting the appropriate scene mode.



#### Beautiful portraits with ease

**Smile Mode** helps you to record precious moments by automatically releasing the shutter when your subject smiles. The new **Blink Proof** function automatically shoots two sequential frames and saves the shot in which the subject's eyes are open-wide.



Without Blink Proof With Blink Proof

#### Other features


- 10.0 effective megapixels
- 2.5-in. high-resolution LCD monitor
- ISO 2000 capability
- Quick Retouch
- Food Mode
- Auto Sort
- Favorite Pictures
- Smart Portrait System
- D-Lighting



COOLPIX S230  
10.0 megapixels, ISO Auto, Programmed Auto



COOLPIX P6000  
13.5 megapixels, ISO 64, Manual



COOLPIX S230  
10.0 megapixels, ISO Auto, Portrait scene mode



COOLPIX S620  
12.2 megapixels, ISO 100, Programmed Auto



COOLPIX L20  
10.0 megapixels, ISO Auto, Close-up mode



COOLPIX L20  
10.0 megapixels, ISO Auto, Programmed Auto



COOLPIX S220  
10.0 megapixels, ISO Auto, Programmed Auto, Quick Retouch



COOLPIX L19  
8.0 megapixels, ISO Auto, Programmed Auto

# COOLPIX P6000

The full power of total photographic freedom.

Flagship COOLPIX performance, flexibility and advanced function that will please the true camera lover.



## Pure imaging power and plenty of range

The COOLPIX P6000 delivers 13.5 megapixels of sharp resolution to capture the finest details and produce beautiful enlargements. Its advanced image-processing engine optimizes performance and color reproduction. The quality optics of its 4x wide-angle 28-112mm Zoom-NIKKOR lens with ED glass (35mm format equivalent) maximize compositional freedom.

## Fully customizable operation

The Command dial and customizable Function (Fn) button allow quick switching of settings. There is a custom shooting menu for smooth access to regularly used selections. The tabbed menu interface is easy to navigate. Furthermore, the Mode Dial provides quick control over the advanced Programmed Auto [P], Shutter-priority Auto [S], Aperture-priority Auto [A], and Manual [M] exposure modes.



## GPS and LAN support

Built-in GPS (Global Positioning System) lets you record the location (latitude and longitude) of your shots as "geotags." Connect a cable to the built-in LAN connector to store your images on the Internet and enjoy viewing the location on maps available in ViewNX or my Picturetown. Access Nikon's my Picturetown Internet services and use Picture Bank to store photos automatically and securely. You can upload your photos directly to blogs and web sites. Furthermore, you can email links directly to friends and family, allowing them to view your pictures and share the fun online.

<http://mypicturetown.com>

## COOLPIX Picture Control for improved finishing flexibility

Nikon's original Picture Control System features intuitive operation that makes it easy to apply adjustments to COOLPIX NRW (CCD RAW) image files\* you shoot and finish them to match your taste. This advanced technology is optimized for use in COOLPIX cameras.

\* Applicable only when NRW (RAW) files are processed in-camera.

## System expandability

You can broaden focal range to 21mm (35mm format equivalent) by adding the optional wide-angle converter lens. The built-in accessory shoe supports advanced i-TTL flash control for external Nikon Speedlights.



Black



Black



14

## Other features

- Optical viewfinder
- High-quality materials and finish with magnesium alloy front panel
- 2.7-in. high-resolution LCD monitor with wide-viewing angle and anti-reflection coating
- Optical lens shift VR image stabilization
- Manual focus
- ISO 6400\* capability
- Wireless Remote Control ML-L3 for wireless shutter release
- Distortion Control
- Face-priority AF
- In-Camera Red-Eye Fix
- Active D-Lighting

\* ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller.

# COOLPIX P90

The excitement of closer encounters.

Phenomenal 24x zoom, 26mm wide-angle capability, a vari-angle LCD and advanced shooting modes aim to unleash your creative freedom.



15

## 3-in. vari-angle LCD adds greater framing freedom

Given the versatile reach and range of the 24x zoom lens, you are bound to find yourself wanting to shoot from the hip, or from a higher angle. That's why, in addition to its electronic viewfinder, the COOLPIX P90 features a 3-in. high-resolution vari-angle LCD with anti-reflection coating. The LCD can be tilted upward as much as 90 degrees, or 45 degrees downward.



## Advanced shooting modes (P, S, A, and M)

The Mode Dial provides quick access to greater personal control over the camera operation and rich creative possibilities offered by Programmed Auto [P], Shutter-priority Auto [S], Aperture-priority Auto [A], and Manual [M] exposure modes.

## ISO 6400 capability

Light sensitivity range up to ISO 6400\* creates new opportunities to take sharper, more natural-looking photos in lower light conditions, or when shooting fast-moving subjects.

\* ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller.

## 15 frame-per-second high-speed capability

**Sport Continuous Mode** lets you shoot as many as 45 consecutive pictures\* at 15 fps to stay ahead of most any action scene you wish to capture. Furthermore, the **Pre-shooting Cache** option enables you to record up to 10 frames just before releasing the shutter.

\* Feature available only for image size of 16:9 (1920 x 1080).

## Other features

- 12.1 effective megapixels
- Image sensor shift VR image stabilization
- Motion Detection
- Electronic viewfinder for sharp, steady shooting
- Scene Auto Selector
- Quick Retouch
- Optimize image (including monochrome filter effect)
- Distortion Control
- Smart Portrait System
- Active D-Lighting

# COOLPIX L100

Bring precious moments even closer.

15x super-telephoto zoom with 28mm wide-angle capability combines with advanced picture-taking functions to help capture all those precious moments.



Black

# COOLPIX L20

# COOLPIX L19

The joy of carefree shooting and consistently great pictures.

Reliable and easy to use with advanced functions that make it fun to achieve beautiful results.



COOLPIX L20

COOLPIX L19



Black Metallic

Deep Red

Bright Silver

Bright Silver



## 15x super-telephoto zoom with 28mm wide-angle capability

The COOLPIX L100 combines ease of shooting with the compositional freedom of a 15x Zoom-NIKKOR lens that covers everything from 28mm wide-angle to 420mm super-telephoto shooting. Its design will help you capture all those special moments with such quality and clarity that makes lasting memories an even greater joy. It even covers macro shooting ability from as close as 1 cm (0.4 in.) from your subject.

## Sport Continuous Mode

The ability to shoot up to 30 consecutive pictures\* at 13 fps will help you capture all those action scenes you wish to shoot.

\* Feature available only for image sizes of 3M (2048 x 1536) or smaller.

## User-friendly image stabilizing features help ensure sharper results

Nikon's **image sensor shift VR image stabilization** compensates for the effects of camera shake, while **Motion Detection** automatically controls shutter speed. Furthermore, the ISO settings compensate for camera shakes and subject movement. The **ISO 3200\*** capability helps give you sharper results when shooting in low light or capturing fast-moving subjects.

\* ISO 3200 is available only for image sizes of 3M (2048 x 1536) or smaller.

## Other features

- Powered by commonly available AA-batteries
- 10.0 effective megapixels
- 3-in. high-resolution LCD monitor with anti-reflection coating
- Easy Auto Mode with Scene Auto Selector
- Food Mode
- Smart Portrait System
- D-Lighting
- Distortion Control



## High-resolution LCD monitor

A large, bright LCD monitor (L20: 3-in. / L19: 2.7-in.) makes it easy to compose shots and play them back anywhere, ensuring clear viewing even in direct sunlight.

## Easy Auto Mode with Scene Auto Selector

Easy Auto Mode simplifies photography by taking control of settings, so you can just turn on the camera and shoot freely. Nikon's Scene Auto Selector enhances carefree shooting in a variety of situations by recognizing the type of setting and automatically selecting the appropriate scene mode.


## Other features

- 10.0 effective megapixels (L20)
- 8.0 effective megapixels (L19)
- 3.6x Zoom-NIKKOR lens
- Powered by commonly available AA-batteries
- ISO 1600 capability
- Smart Portrait System
- D-Lighting



## Advanced image stabilizing features that ensure sharper results

**Motion Detection** helps you produce sharper results by automatically controlling shutter speed. Light sensitivity (ISO) settings compensate for camera shake and subject movement. Furthermore, Nikon's **BSS (Best Shot Selector)** function automatically selects the shot with the sharpest focus from a series of consecutive images.



Without Motion Detection


With Motion Detection





# Discover the simplicity of scene modes

## Portrait All models



Puts the background out of focus to emphasize the subject. Portrait subjects benefit from smooth, natural-looking skin tones.

## Landscape All models



Provides greater depth of field. Camera focuses at infinity.

## Sports All models\*



Increases shutter speed, so users can freeze the action in a single shot and record motion as a series of pictures.

\* The COOLPIX S630, P90 and L100 are equipped with Sport Continuous Mode.

## Night Portrait All models



Achieves a natural balance between the main subject and background lighting in portraits taken at night.

## Party/Indoor All models



Captures bright, natural-looking portraits indoors while maintaining background details.

## Beach/Snow All models



Keeps backgrounds and human subjects vivid despite the uncommonly bright conditions.

## Sunset All models



Makes the most of beautiful colors seen in sunsets and sunrises.

## Dusk/Dawn All models



Preserves the colors seen in weak natural light conditions, for example before sunrise or after sunset.

## Night Landscape All models



Slow shutter speeds are used to produce stunning night landscapes.

## Close-up All models



Lets users compose and photograph small objects at close range.

## Museum All models



Many museums don't allow the use of flash, so Museum mode reduces the effects of camera movement to enable sharper shots without flash.

## Fireworks Show All models



Slow shutter speeds capture the light trails of dramatic bursting fireworks with satisfying color and clarity.

## Copy All models



Blends sharpness with higher than normal contrast to capture text or drawings with greater clarity in black-and-white.

## Backlight All models



Because bright backgrounds can cause nearby subjects to underexpose, Backlight mode adds flash automatically to the foreground to "fill in" the shadows.

## Food All models



Helps capture close-ups of food more beautifully in restaurants or at other tables without using flash.

## Panorama Assist All models

Composite image



Original images



Panorama Maker is software available with Nikon's complementary Software Suite. A series of pictures taken in Panorama Assist mode can be joined to produce a single seamless panorama.

Note: Images shown above are for representation purposes only.

# 21 COOLPIX ACCESSORIES

Supplied accessory Optional accessory

	Battery Chargers				Batteries			
	Battery Charger MH-61	Battery Charger MH-63	Battery Charger MH-65	Battery Charger MH-72	Rechargeable Li-ion Battery EN-EL5	Rechargeable Li-ion Battery EN-EL10	Rechargeable Li-ion Battery EN-EL12	Rechargeable Ni-MH Battery EN-MH2
COOLPIX S630			●				●	
COOLPIX S620			●				●	
COOLPIX S230		●				●		
COOLPIX S220		●				●		
COOLPIX P6000	●				●			
COOLPIX P90	●				●			
COOLPIX L100								
COOLPIX L20				●				●
COOLPIX L19				●				●

	AC Adapters						AV/USB Cables	
	AC Adapter EH-62A	AC Adapter EH-62D	AC Adapter EH-62F	AC Adapter EH-65A	AC Adapter EH-66	AC Adapter EH-67	USB Cable UC-E6	Audio Video Cable EG-CP14
COOLPIX S630			●				●	●
COOLPIX S620			●				●	●
COOLPIX S230		●					●	●
COOLPIX S220		●					●	●
COOLPIX P6000					●		●	●
COOLPIX P90	●						●	●
COOLPIX L100						●	●	●
COOLPIX L20				●			●	●
COOLPIX L19				●			●	●

	Lens Converters		Lens Cap		Speedlights			Software
	Wide-angle Converter WC-E76*	Adapter Ring UR-E21	Lens Cap LC-CP19	Lens Cap LC-CP20	Speedlight SB-400	Speedlight SB-600	Speedlight SB-900	Software Suite
COOLPIX S630								●
COOLPIX S620								●
COOLPIX S230								●
COOLPIX S220								●
COOLPIX P6000	●	●			●	●	●	●
COOLPIX P90			●					●
COOLPIX L100				●				●
COOLPIX L20								●
COOLPIX L19								●

\* When used with Adapter Ring UR-E21.

Software Suite*	
OS	Macintosh: Mac OS X version 10.3.9, 10.4.11, 10.5.5 Windows: Windows Vista (32bit), Windows XP Professional/Home Edition pre-installed models
Note: CD-ROM drive required for installation. Only built-in USB ports are supported.	

\* Applicable to Nikon Transfer within the Software Suite CD-ROM

	Effective pixels	Lens	Focus range (from lens)	Monitor	Storage media	ISO sensitivity	Power sources	Battery life*1	Dimensions (WxHxD)	Weight
<b>COOLPIX S630</b> 	12.0 million	7x Zoom-NIKKOR; 6.6-46.2mm (35mm [135] format picture angle: 37-260mm); f/3.5-5.3; Digital zoom: up to 4x (35mm [135] format picture angle: 1040mm)	60cm (2 ft.) to infinity (∞), Macro close-up mode: 2cm (0.8 in.) to infinity (∞)	2.7-in., approx. 230k-dot, wide-viewing angle TFT LCD with anti-reflection coating	Internal memory (approx. 44 MB), SD/SDHC memory cards*2	ISO 64, 100, 200, 400, 800, 1600, 3200*3, 6400*3, Auto (auto gain ISO 64-800), High sensitivity mode*3 (ISO 640-3200), Fixed range auto (ISO 64-200, 64-400)	Rechargeable Li-ion Battery EN-EL12 (supplied), AC Adapter EH-62F (optional)	Approx. 220 shots with EN-EL12 battery	Approx. 96.5 x 57.5 x 25.5 mm (3.8 x 2.3 x 1 in.) excluding projections	Approx. 140 g (4.9 oz.) without battery and SD/SDHC memory card
<b>COOLPIX S620</b> 	12.2 million	4x Zoom-NIKKOR; 5.0-20.0mm (35mm [135] format picture angle: 28-112mm); f/2.7-5.8; Digital zoom: up to 4x (35mm [135] format picture angle: 448mm)	50cm (1 ft. 8 in.) to infinity (∞), Macro close-up mode: 2cm (0.8 in.) to infinity (∞)	2.7-in., approx. 230k-dot, wide-viewing angle TFT LCD with anti-reflection coating, antifouling and water repellent layer, and screen brightness boost function	Internal memory (approx. 45 MB), SD/SDHC memory cards*2	ISO 100, 200, 400, 800, 1600, 3200, 6400, Auto (auto gain ISO 100-1600), Fixed range auto (ISO 100-400, 100-800)	Rechargeable Li-ion Battery EN-EL12 (supplied), AC Adapter EH-62F (optional)	Approx. 250 shots with EN-EL12 battery	Approx. 90 x 53 x 23 mm (3.5 x 2.1 x 0.9 in.) excluding projections	Approx. 120 g (4.2 oz.) without battery and SD/SDHC memory card
<b>COOLPIX S230</b> 	10.0 million	3x Zoom-NIKKOR; 6.3-18.9mm (35mm [135] format picture angle: 35-105mm); f/3.1-5.9; Digital zoom: up to 4x (35mm [135] format picture angle: 420mm)	60cm (2 ft.) to infinity (∞), Macro close-up mode: 10cm (4 in.) to infinity (∞)	3-in., approx. 230k-dot, TFT LCD with touch screen control and anti-reflection coating	Internal memory (approx. 44 MB), SD/SDHC memory cards*2	ISO 80, 100, 200, 400, 800, 1600, 2000, Auto (auto gain ISO 80-800), High ISO Sensitivity Auto (ISO 80-1600)	Rechargeable Li-ion Battery EN-EL10 (supplied), AC Adapter EH-62D (optional)	Approx. 160 shots with EN-EL10 battery	Approx. 91 x 57 x 20 mm (3.6 x 2.3 x 0.8 in.) excluding projections	Approx. 115 g (4.1 oz.) without battery and SD/SDHC memory card
<b>COOLPIX S220</b> 	10.0 million	3x Zoom-NIKKOR; 6.3-18.9mm (35mm [135] format picture angle: 35-105mm); f/3.1-5.9; Digital zoom: up to 4x (35mm [135] format picture angle: 420mm)	60cm (2 ft.) to infinity (∞), Macro close-up mode: 10cm (4 in.) to infinity (∞)	2.5-in., approx. 150k-dot, TFTLCD	Internal memory (approx. 44 MB), SD/SDHC memory cards*2	ISO 80, 100, 200, 400, 800, 1600, 2000, Auto (auto gain ISO 80-800), High ISO Sensitivity Auto (ISO 80-1600)	Rechargeable Li-ion Battery EN-EL10 (supplied), AC Adapter EH-62D (optional)	Approx. 180 shots with EN-EL10 battery	Approx. 89.5 x 55.5 x 18 mm (3.5 x 2.2 x 0.7 in.) excluding projections	Approx. 100 g (3.5 oz.) without battery and SD/SDHC memory card
<b>COOLPIX P6000</b> 	13.5 million	4x Zoom-NIKKOR; 6.0-24.0mm (35mm [135] format picture angle: 28-112mm); f/2.8-5; Digital zoom: up to 4x (35mm [135] format picture angle: 448mm)	50cm (1 ft. 8 in.) to infinity (∞), Macro close-up mode: 2cm (0.8 in.) to infinity (∞)	2.7-in., approx. 230k-dot, wide-viewing angle TFT LCD with anti-reflection coating	Internal memory (approx. 48 MB), SD/SDHC memory cards*2	ISO 64, 100, 200, 400, 800, 1600, 2000, 3200*3, 6400*3, Auto (auto gain ISO 64-800), High ISO Sensitivity Auto (ISO 64-1600), Fixed range auto (ISO 64-100, 64-200, 64-400)	Rechargeable Li-ion Battery EN-EL5 (supplied), AC Adapter EH-66 (supplied)	Approx. 260 shots with EN-EL5 battery	Approx. 107 x 65.5 x 42 mm (4.2 x 2.6 x 1.7 in.) excluding projections	Approx. 240 g (8.5 oz.) without battery and SD/SDHC memory card
<b>COOLPIX P90</b> 	12.1 million	24x Zoom-NIKKOR; 4.6-110.4mm (35mm [135] format picture angle: 26-624mm); f/2.8-5; Digital zoom: up to 4x (35mm [135] format picture angle: 2496mm)	50cm (1 ft. 8 in.) to infinity (∞), Macro close-up mode: 1cm (0.4 in.) to infinity (∞)	3-in., approx. 230k-dot, vari-angle TFT LCD with anti-reflection coating, Electronic Viewfinder, 0.24-in., approx. 230k-dot	Internal memory (approx. 47 MB), SD/SDHC memory cards*2	ISO 64, 100, 200, 400, 800, 1600, 3200*3, 6400*3, Auto (auto gain ISO 64-800), High ISO Sensitivity Auto (ISO 64-1600), Fixed range auto (ISO 64-100, 64-200, 64-400)	Rechargeable Li-ion Battery EN-EL5 (supplied), AC Adapter EH-62A (optional)	Approx. 200 shots with EN-EL5 battery	Approx. 114 x 83 x 99 mm (4.5 x 3.3 x 3.9 in.) excluding projections	Approx. 460 g (16.2 oz.) without battery and SD/SDHC memory card
<b>COOLPIX L100</b> 	10.0 million	15x Zoom-NIKKOR; 5.0-75.0mm (35mm [135] format picture angle: 28-420mm); f/3.1-6.7; Digital zoom: up to 4x (35mm [135] format picture angle: 1680mm)	50cm (1 ft. 8 in.) to infinity (∞), Macro close-up mode: 1cm (0.4 in.) to infinity (∞)	3-in., approx. 230k-dot, TFT LCD with anti-reflection coating	Internal memory (approx. 44 MB), SD/SDHC memory cards*2	Auto (auto gain ISO 80-800), High sensitivity mode*3 (ISO 720-3200)	Four AA alkaline (supplied), or lithium batteries, AC Adapter EH-67 (optional)	Approx. 350 shots with alkaline, or 900 shots with lithium	Approx. 110 x 72 x 78 mm (4.3 x 2.8 x 3 in.) excluding projections	Approx. 355 g (12.5 oz.) without battery and SD/SDHC memory card
<b>COOLPIX L20</b> 	10.0 million	3.6x Zoom-NIKKOR; 6.7-24.0mm (35mm [135] format picture angle: 38-136mm); f/3.1-6.7; Digital zoom: up to 4x (35mm [135] format picture angle: 544mm)	30cm (1 ft.) to infinity (∞); Macro close-up mode: 5cm (2 in.) to infinity (∞)	3-in., approx. 230k-dot, TFT LCD	Internal memory (approx. 20 MB), SD/SDHC memory cards*2	Auto (auto gain ISO 64-1600)	Two AA alkaline (supplied), or lithium batteries, two EN-MH2 rechargeable Ni-MH batteries (optional), AC Adapter EH-65A (optional)	Approx. 240 shots with alkaline, 440 shots with EN-MH2, or 630 shots with lithium	Approx. 96.5 x 61 x 29 mm (3.8 x 2.4 x 1.2 in.) excluding projections	Approx. 135 g (4.8 oz.) without battery and SD/SDHC memory card
<b>COOLPIX L19</b> 	8.0 million	3.6x Zoom-NIKKOR; 6.7-24.0mm (35mm [135] format picture angle: 41-145mm); f/3.1-6.7; Digital zoom: up to 4x (35mm [135] format picture angle: 580mm)	30cm (1 ft.) to infinity (∞); Macro close-up mode: 5cm (2 in.) to infinity (∞)	2.7-in., approx. 230k-dot, TFTLCD	Internal memory (approx. 20 MB), SD/SDHC memory cards*2	Auto (auto gain ISO 64-1600)	Two AA alkaline (supplied), or lithium batteries, two EN-MH2 rechargeable Ni-MH batteries (optional), AC Adapter EH-65A (optional)	Approx. 240 shots with alkaline, 440 shots with EN-MH2, or 630 shots with lithium	Approx. 96.5 x 61 x 29 mm (3.8 x 2.4 x 1.2 in.) excluding projections	Approx. 130 g (4.6 oz.) without battery and SD/SDHC memory card

\*1 Based on CIPA industry standard for measuring life of camera batteries. Measured at 23°C (73°F); zoom adjusted with each shot, built-in flash fired with every other shot, image mode set to Normal.  
 \*2 Not compatible with Multi Media Cards (MMC).  
 \*3 Setting is available only for image sizes of 3M (2048 x 1536) or smaller.

Note: Camera lineup and color availability may vary according to region.

## Innovation for Imaging Excellence



### NIKKOR

NIKKOR lenses have long met the high standards of top professional photographers. They will continue to demonstrate Nikon's total commitment to craftsmanship and reliability in today's and tomorrow's world of digital photography.



### EXPEED

Nikon's EXPEED digital image-processing concept includes all aspects of picture-taking, marking a true revolution in digital photography that opens the door to a new world of image quality and camera performance.



**NIKON PHOTO CONTEST INTERNATIONAL**  
Since 1989  
2008 - 2009  
<http://www.nikon-npci.com>

**my Picturetown** Bring Your Circle Closer.  
<http://mypicturetown.com>

**2GB FREE storage with my Picturetown**  
The secure, safe, photo sharing and storage service brought to you by Nikon.  
Sign up Now!

	<p>Microsoft®, Windows® and Windows Vista™ are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Macintosh®, Mac® OS and QuickTime® are either registered trademarks or trademarks of Apple Inc. in the United States and/or other countries. The SDHC logo is a trademark. PictBridge is a trademark. D-Lighting technology is provided by Apical Limited. The FotoNation logo is a trademark. FSE (Face Sensing Engine) technology is provided by OKI. CompactFlash® and Extreme® are registered trademarks of SanDisk Corporation. Products and brand names are trademarks or registered trademarks of their respective companies. Images on LCDs shown in this brochure are simulated.</p>
<p><b>WARNING</b></p> <p>TO ENSURE CORRECT USAGE, READ MANUALS CAREFULLY BEFORE USING YOUR EQUIPMENT. SOME DOCUMENTATION IS SUPPLIED ON CD-ROM ONLY.</p>	<p>Specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer. January 2009 ©2009 Nikon Corporation</p>

[www.nikon-coolpix.com](http://www.nikon-coolpix.com)



Nikon Hong Kong Ltd. Suite 1001, 10F, Cityplaza One, 1111 King's Road, Taikoo Shing, Hong Kong [www.nikon.com.hk](http://www.nikon.com.hk)  
 Nikon Singapore Pte Ltd 80 Anson Road, #10-01/02, Fuji Xerox Towers, Singapore [www.nikon.com.sg](http://www.nikon.com.sg)  
 Nikon (Malaysia) Sdn. Bhd. 11th Floor, Block A, Meanara PKNS, No. 17, Jalan Yong Shook Lin, 46050 Petaling Jaya, Selangor Darul Ehsan, Malaysia [www.nikon.com.my](http://www.nikon.com.my)  
 Nikon Australia Pty Ltd. Unit F1, Lidcombe Business Park, 3-29 Birnie Avenue, Lidcombe NSW 2141, Australia [www.nikon.com.au](http://www.nikon.com.au)  
 Nikon Imaging Korea Co., Ltd. 12F The Korea Chamber of Commerce & Industry Bldg., 45 4ga Namdaemunro, Jung-gu, Seoul, 100-743 Korea [www.nikon.co.kr](http://www.nikon.co.kr)  
 Nikon India Private Limited Plot no 17, Sector 32, Institutional Area, Gurgaon 122002, Haryana, India [www.nikon.co.in](http://www.nikon.co.in)  
 Nikon Canada Inc. 1366 Aerowood Drive, Mississauga, Ontario L4W 1C1, Canada [www.nikon.ca](http://www.nikon.ca)  
 NIKON CORPORATION Fuji Bldg., 2-3, Marunouchi 3-chome, Chiyoda-ku, Tokyo 100-8331, Japan [www.nikon.com](http://www.nikon.com)