



At the heart of the image

DIGITAL CAMERA
COOLPIX
S1





The super slim, ultra portable COOLPIX S1 boasts good looks, exceptionally easy-to-use controls and the assurance of advanced Nikon performance.

The sleek, stylish aluminum body — available in Pure Silver, Ebony Black and Ivory White — is packed full of photo-enhancing features that make it easy and convenient to take great photos wherever you go.

With dimensions not much bigger than a credit card, the COOLPIX S1 features a large, bright 2.5-inch LCD screen for a brilliant view of your shots. The streamlined body houses a state-of-the-art 3x optical Zoom-Nikkor ED* lens, and with an image resolution of 5.1 megapixels, the COOLPIX S1 faithfully delivers incredibly sharp, detailed pictures. A fast start-up time and quick-fire continuous shooting mode help you catch the moment before it's over.

The COOLPIX S1 — a joy to use and a pleasure to own.


*Nikon's ED (Extra-low Dispersion) glass offers superior sharpness and optimal color correction.



 Focused on the detail



Without D-Lighting



With D-Lighting

D-Lighting


Nikon's innovative and unique D-Lighting feature ensures your photos are always bright, clear and perfectly contrasted. It automatically adds light and detail to underexposed and backlit images, while keeping well-exposed areas exactly as they are.



Pure Silver



Ebony Black



Ivory White

Note: Available colors may differ by country or area.

 Naturally clear





Face-priority AF

Face-priority AF*

Face-priority AF automatically detects then focuses the lens on people's faces for blur-free results. No matter where you position your subjects in the frame, pin-sharp results are easy to achieve.

* Face recognition capability may be limited in some shooting conditions.

 Say goodbye to red-eye



In-Camera Red-Eye Fix

Nikon's exclusive In-Camera Red-Eye Fix eliminates the annoying problem of red-eye in photos taken with a flash — automatically detecting and correcting red eyes as the photo is taken, so eyes appear natural.



Dive into photography



The Waterproof Case WP-CP5 is specially designed for the COOLPIX S1 and sets you free to enjoy photography in all weathers and use the Underwater Scene Mode for great results when snorkeling or scuba diving.



The COOL-STATION MV-11 delivers true plug-and-play convenience — charging batteries while still in the camera and linking to a computer via USB.

Nikon Digital Camera COOLPIX S1 Specifications

Type:	Digital camera S1
Effective pixels:	5.1 million
CCD:	1/2.5-inch type (5.36 million total pixels)
Image modes:	High (2592*), Normal (2592), Normal (2048), PC (1024), TV (640)
Lens:	3x Zoom-Nikkor ED; 5.8-17.4mm (35mm [135] format equivalent to 35-105mm); f/3.0-5.4; 12 elements in 10 groups; Digital zoom: up to 4x
Focus range:	30cm (12 in.) to infinity (∞), 4cm (1.6 in.) to infinity (∞) in Macro Mode
LCD monitor:	2.5-inch type, 110,000-dot Amorphous silicon TFT LCD monitor with brightness adjustment
Storage media:	Internal memory: approx. 12MB, SD memory card
Shooting modes:	Auto, Scene Assist (Portrait, Landscape, Sports, Night portrait), Scene (Party/Indoor, Beach/Snow, Sunset, Dusk/Dawn, Night landscape, Close up, Museum, Fireworks show, Copy, Back light, Panorama assist, Underwater, Voice recording), BSS (Best Shot Selector), Blur Warning, Date imprint, Self-timer (10 sec.)
Movie:	With sound: TV movie (640) at 15fps, Small size (320) at 15fps, Smaller size (160) at 15fps; Without sound: Time-lapse movie at 15fps
Capture modes:	1) Single, 2) Continuous (approx. 1.8fps), 3) Multi-shot 16 (16 frames 1/16 in size)
Number of frames (w/ Internal memory):	5M: High (2592*) approx. 5, Normal (2592) approx. 10, 3M: (2048) approx. 17
Built-in flash:	Range: 0.3-2.5m/ 1' - 8'2" (W), 0.3-1.4m/ 1' - 4'7" (T); Flash modes: Auto, Auto with Red-eye Reduction (In-Camera Red-Eye Fix), Anytime Flash, Flash Cancel and Slow sync.
Interface:	USB (via COOL-STATION MV-11)
Supported languages:	German/English/Spanish/French/Italian/Dutch/Swedish/Japanese/Simplified Chinese/Traditional Chinese/Korean/Russian selectable in menu display
Power requirements:	One Rechargeable Li-ion Battery EN-EL8, AC adapter EH-63
Battery life (approx.):	Approx. 200 images with EN-EL8 Rechargeable Battery (based on CIPA standard*)
Dimensions (WxHxD):	Approx. 89.9 x 57.5 x 19.7mm (3.5 x 2.3 x 0.8 in.)
Weight:	Approx. 118g (4.0 oz.) (without battery and memory card)
Supplied accessories:†	COOL-STATION MV-11, Strap, USB cable UC-E10, Audio Video cable, AC adapter EH-63, Rechargeable Li-ion Battery EN-EL8, PictureProject CD-ROM
Optional accessories:	COOL-STATION MV-11, USB cable UC-E10, AC adapter EH-63, Rechargeable Li-ion Battery EN-EL8, Battery Charger MH-62, Waterproof Case WP-CP5‡

* Industry standard for measuring life of camera batteries. Measured at 25°C (77°F); zoom adjusted with each shot, built-in flash fired with every other shot, image mode set to Normal.

† Supplied accessories may differ by country or area.

‡ Not available in some countries or areas.

PictureProject System Requirements

OS	Macintosh: Mac® OS X (10.1.5 or later) / Windows: Windows® XP Home Edition/Professional, Windows® 2000 Professional, Windows® ME, Windows® 98SE pre-installed models
RAM:	64MB or more recommended
Hard disk:	60MB required for installation
Display:	800 x 600 or more with 16-bit color (full color recommended)
Others:	CD-ROM drive required for installation Only built-in USB ports are supported

Microsoft® and Windows® are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Macintosh® and QuickTime® are either registered trademarks or trademarks of Apple Computer Inc. in the United States and/or other countries. The FotoNation logo is a trademark. The SD logo is a trademark. PictBridge is a trademark. D-Lighting technology is provided by Apical Limited. Face-priority AF technology is provided by Identix®. Products and brand names are trademarks or registered trademarks of their respective companies. Images on LCDs and monitors shown in this brochure are simulated.

Specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer.
March 2005 ©2005 NIKON CORPORATION



WARNING

TO ENSURE CORRECT USAGE, READ MANUALS CAREFULLY BEFORE USING YOUR EQUIPMENT. SOME DOCUMENTATION IS SUPPLIED ON CD-ROM ONLY.



NIKON CORPORATION

Fuji Bldg., 2-3, Marunouchi 3-chome, Chiyoda-ku,
Tokyo 100-8331, Japan

<http://nikonimaging.com/>

En